

- ▣ VERTICAL
MULTI DECKS
- ▣ SEMI MULTI
DECKS
- ▣ COUNTERS
- ▣ FREEZERS
- ▣ INTEGRALS



40+ Years
6 Continents
50+ Countries

Openness, Honesty and Fairness
Ethical and Compliant
Teamwork and Common Goals
Quality, Service, Innovation and
Flexibility in Customer Focus
Operational Excellence



ENVIRONMENTAL AWARENESS


AGILITY

ENERGY EFFICIENCY

FLEXIBILITY

BESPOKE SOLUTIONS

INNOVATIONS



VERTICAL
MULTI-
DECKS

SEMI
VERTICAL
MULTI-
DECKS



YOUR WORLD OUR WORLD

PEARL

VERTICAL MULTI-DECK



Dimensions (mm):

Height: 2050 / 2200

Length: Run Cabinets : 1250 / 1875 / 2500 / 2812,5 / 3125 / 3750

End Cabinets : 1660 / 1875 / 2136

Depth : 770 / 850 / 950 / 1090

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-2 / 0 -1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

PEARL

VERTICAL MULTI-DECK with WIDE LOOK DOOR

SKY



Dimensions (mm):

Height : 2050 / 2200

Length : Run Cabinets : 1250 / 1875 / 2500 / 3750

End Cabinets : 1660 / 1875 / 2136

Depth : 850 / 950 / 1090

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CRYSTAL

VERTICAL MULTI-DECK



Dimensions (mm):

Height : 2050 / 2200

Length : 1250 / 1875 / 2136 (HC) / 2500 / 2812,5 / 3125 / 3750

Depth : 950 / 1020 / 1120

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

ONIX

VERTICAL MULTI-DECK



Dimensions (mm):

Height : 2050 / 2200

Length : 1250 / 1875 / 2136 (HC) / 2500 / 2812,5 / 3125 / 3750

Depth : 950 / 1020 / 1120

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

ODENSE

VERTICAL WIDE MULTI-DECK



Dimensions (mm):

Height : 2220
Length : 1250 / 1875 / 2500 / 3750
Depth : 1185 / 1000 (HC)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER
	-1 / +1 +2 / +4 (for RIM)	

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 • GLYCOL/WATER: R718

AGATE

WIDE PRODUCE CABINET



Dimensions (mm):

Height : 2100
Length : 1250 / 1875 / 2500 / 3750
Depth : 1270

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend CO ₂
	+2 / +4	

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744

BRIE

BACK-WALL SERVICE CABINET



Dimensions (mm):

Height : 2400
Length : 2500
Depth : 921

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend CO ₂
	+2 / +4	

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744



YOUR WORLD OUR WORLD

SEMI VERTICAL MULTI-DECKS

OPAL

SEMI VERTICAL MULTI-DECK



Dimensions (mm):

Height : 1500

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3750

End Cabinets : 1660 / 2136

Depth : 850 / 1000 / 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744

LIMESTONE

SEMI VERTICAL PRODUCE CABINET



Dimensions (mm):

Height : 1600

Length : 1250 / 1875 / 2500 / 3750

Depth : 1270

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744

VOLENDAM

SEMI VERTICAL MULTI-DECK

GG



Dimensions (mm):


Height : 1350

Length : 1250 / 1875 / 2500 / 3750

Depth : 1066

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744



SELF
-SER-
VICE &
SERVE
- OVER
COUNT-
ERS



YOUR WORLD OUR WORLD

CITRINE

SQ

SERVE - OVER & SELF - SERVICE COUNTERS



Dimensions (mm):

Height : 1200 (Serve Over) / 850 (Self Service)
Length :

Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750
Corner Cabinets : EC45° / EC90° / IC45° / IC90°
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

CG

SERVE - OVER & SELF - SERVICE COUNTERS



Dimensions (mm):

Height : 1225 (Serve Over) / 850 (Self Service)
Length :

Run Cabinets : 1250 / 1875 / 2500 / 3750
Corner Cabinets : EC45° / EC90° / IC45° / IC90°
Depth : 1032 / 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

CONVERTIBLE

SERVE - OVER & SELF - SERVICE COUNTER



Dimensions (mm):

Height : 1200
Length : 1250 / 2500 / 3750
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

ORIEL

SERVE - OVER COUNTER



Dimensions (mm):

Height : 1200
Length : 1250
Depth : 1489

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

SELF - SERVICE COUNTER

LOW BASE



Dimensions (mm):
Height : 850
Length : 1250 / 1875 / 2500 / 3750
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ Glycol / Water

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

SERVE - OVER COUNTER
with INTEGRATED STORAGE

STORAGE



Dimensions (mm):
Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ Glycol / Water

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

STATIC SERVE - OVER COUNTER

MEAT



Dimensions (mm):
Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A

CITRINE

STATIC SELF - SERVICE & SERVE - OVER COUNTERS

FISH



Dimensions (mm):
Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

CITRINE

COMBINED SERVE - OVER COUNTER

DOUBLE DECK



Dimensions (mm):

Height : 1250 (SQ) / 1275 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1467 / 1587

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

DOUBLE WELL SELF - SERVICE COUNTER

DOUBLE WELL



Dimensions (mm):

Height : 850
Length : 1250 / 1875 / 2500 / 3750
Depth : 2000 / 1000 (HC)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

SELF - SERVICE PIZZA COUNTER

PIZZA



Dimensions (mm):

Height : 917
Length : 1250 / 2500 / 3125 / 3750
Depth : 1151

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

CITRINE

SERVE - OVER COUNTER

TOWER



Dimensions (mm):

Height : 1554
Length : 1250 / 2500
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO ₂ GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 · GLYCOL/WATER: R718

SELF - SERVICE & SERVE - OVER COUNTERS

CITRINE

PÂTISSERIE

SELF - SERVICE COUNTER



Dimensions (mm):

Height : 1554
Length : 1250 / 2500
Depth : 1150


SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+3 / +5	HFC blend HFC/HFO blend CO ₂ Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 • GLYCOL/WATER: R718

CITRINE

BAIN MARIE

SERVE - OVER HOT COUNTER



Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
BAIN MARIE	+79 / +82

CITRINE

HOT PLATE

SERVE - OVER HOT COUNTER



Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
HOT	+65 / +70

CITRINE

GRAB & GO

SELF - SERVICE COUNTERS



Dimensions (mm):

Height : 1206 / 1220 / 1500
Length : 1250 / 1875 / 2500 / 3750
Depth : 1129

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 • GLYCOL/WATER: R718



YOUR WORLD OUR I

AMBER

SELF - SERVICE COUNTER



Dimensions (mm):

Height : 1100 / 1305
Length : 1250 / 2500 / 3750
Depth : 1320

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744

LINZ

SERVE - OVER COUNTER



Dimensions (mm):

Height : 1150
Length : 1250 / 1875 / 2500
Depth : 800

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC/HFO: R448A / R449A / R452A / R450A

TREVISO

SERVE - OVER COUNTER

TREVISO DD



Dimensions (mm):

Height : 1180
Length : 1875 / 2500 / 3750
Depth : 1177 • 1608 (DD)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂ Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744 • GLYCOL/WATER: R718

VOLENDAM

COMBINED SERVE - OVER COUNTER



Dimensions (mm):

Height : 1353
Length : 1250 / 1875 / 2500 / 3750
Depth : 1176

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A
CO₂: R744



FREEZERS



YOUR WORLD OUR WORLD

AMATIS

FROZEN FULL GLASS DOOR CABINET

LT



Dimensions (mm):

Height : 2050 / 2200
Length : 1562 (2dr) / 2343 (3dr) / 3124 (4dr) / 3905 (5dr)
Depth : 1010

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

AMATIS

FROZEN FULL GLASS DOOR CABINET
with WIDE LOOK DOOR

SKY



Dimensions (mm):

Height : 2060 / 2220
Length : 1562 (2dr) / 2343 (3dr) / 3124 (4dr) / 3905 (5dr)
Depth : 970

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

PLATIN

ISLAND FREEZERS



PLATIN DW 2040

Dimensions (mm):
Height : 920
Length : 1875 / 2500 / 3750
2040 (End Cabinet)
Depth : 2040

PLATIN SC 2080

Dimensions (mm):
Height : 920
Length : 1875 / 2500 / 3750
2074 (End Cab net)
Depth : 2074

PLATIN SW 1480

Dimensions (mm):
Height : 920
Length : 1875 / 2500 / 3750
1485 (End Cabinet)
Depth : 1485

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

GOLD

FROZEN WELL ONLY CABINET

WALL



Dimensions (mm):

Height : 920
Length : 1875 / 2500 / 3750
Depth : 990

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

GOLD

FROZEN WELL ONLY CABINET

GLASS



Dimensions (mm):

Height : 920
Length : 1875 / 2500 / 3750
Depth : 1010

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

GOLD

FROZEN WELL ONLY CABINET

GLASS WIDE



Dimensions (mm):

Height : 920
Length : 1875 / 2500 / 3750
Depth : 1480

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

TURMALINE

COMBINED FROZEN CABINET
with GLASS DOOR TOP

Dimensions (mm):

Height : 2050 / 2200
Length : 1875 / 2500 / 3750
Depth : 1187

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744

TURMALINE

COMBINED FROZEN CABINET
with WIDE LOOK GLASS DOOR TOP

SKY




Dimensions (mm):

Height : 2020 / 2220
Length : 1875 / 2500 / 3750
Depth : 1160

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO ₂

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A
CO₂: R744





INTEG-
RALS



YOUR WORLD OUR WORLD

BIBURY

NARROW VERTICAL INTEGRAL CABINET

CHILLED



Dimensions (mm):

Height : 2059
Length : 1250 / 1875 / 2500
Depth : 830

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

BIBURY

FROZEN NARROW VERTICAL INTEGRAL CABINET

FROZEN



Dimensions (mm):

Height : 2054
Length : 1250 / 1875 / 2500
Depth : 830

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A

BIBURY

NARROW COMBINED VERTICAL INTEGRAL CABINET

DUAL



Dimensions (mm):

Height : 2054
Length : 1404
Depth : 810

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
DUAL PLUG-IN (CHILLER & FREEZER)	Chilled Section -1 / +1 +2 / +4	HC HFC blend HFC/HFO blend
	Frozen Section -22 / -24 -20 / -22	

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A

SEDEF

VERTICAL INTEGRAL CABINET



Dimensions (mm):

Height : 2072
Length : 1250 / 1875 / 2500
Depth : 778

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

AZURIT

FROZEN FULL GLASS DOOR INTEGRAL CABINET



Dimensions (mm):

Height : 2070
Length : 1250 / 1875 / 2500
Depth : 878

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R404A HFC / HFO: R448A / R449A / R452A

SEDEF

SUPER NARROW VERTICAL INTEGRAL CABINET

SUPER SLIM



Dimensions (mm):

Height : 2070
Length : 1000
Depth : 713

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

SEDEF

VERTICAL INTEGRAL CABINET

TCS 625



Dimensions (mm):

Height : 2065
Length : 625
Depth : 744

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

GRANIZADO

SUPER NARROW VERTICAL INTEGRAL CABINET



Dimensions (mm):

Height : 2205
Length : 1200
Depth : 542

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

OPAL

SEMI - VERTICAL INTEGRAL CABINET

PL



Dimensions (mm):

Height : 1500
Length : 1250 / 1875 / 2500 / 3750
Depth : 850

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

OPAL CAKE

SEMI - VERTICAL INTEGRAL CABINET

INTEGRAL



Dimensions (mm):

Height : 1385
Length : 937,5 / 1250 / 1400 (HC)
Depth : 742

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A

THERMEDON

SEMI - VERTICAL INTEGRAL CABINET



Dimensions (mm):

Height : 1250
Length : 900
Depth : 754

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

AVENTURIN

SELF - SERVICE INTEGRAL COUNTER

H



Dimensions (mm):

Height : 1277
Length : 1250
Depth : 1093

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-2 / 0 -1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

CITRINE

SELF - SERVICE INTEGRAL COUNTER

800 SS PL



Dimensions (mm):

Height : 1133
Length : 1250
Depth : 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

FLORIT

SELF - SERVICE PRODUCE INTEGRAL COUNTER

PRODUCE



Dimensions (mm):

Height : 1396
Length : 1250 / 1875
Depth : 1360

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+3 / +5	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

BERIL

SERVE - OVER INTEGRAL COUNTER

STORAGE PL



Dimensions (mm):

Height : 1314
Length : 1250 / 1875 / 2500 / 3750
Depth : 1202 (CG) / 1242 (SQ)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

CITRINE

SERVE - OVER INTEGRAL COUNTER

900 CG

FISH



Dimensions (mm):

Height : 1145
Length : 1250 / 1875 / 2500 / External Corner 90°
Depth : 1180

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

FISH

SERVE - OVER INTEGRAL COUNTER

SLAB



Dimensions (mm):

Height : 1162
Length : 1250 / 2500
Depth : 1012

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

LIV

WELL ONLY SELF - SERVICE INTEGRAL CABINET



Dimensions (mm):

Height : 1410
Length : 1646
Depth : 940

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

MANHATTAN

WELL ONLY INTEGRAL CABINET
FROZEN WELL ONLY INTEGRAL CABINET
WELL ONLY BI-TEMP INTEGRAL CABINET



Dimensions (mm):

Height : 941
Length : 1000 / 1500
Depth : 1040

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN POSITIVE	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	
PLUG-IN BI-TEMP	CHILLED -1/+1 +2/+4 FROZEN -22/-24 -20/-22	

HC: R290 / R1270 · HFC: R407A / R407F / R404A · HFC / HFO: R448A / R449A / R452A

GOLD

FROZEN WELL ONLY INTEGRAL CABINET

WALL INTEGRAL



Dimensions (mm):

Height : 1000
Length : 1250 (incl. side walls)
Depth : 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R404A · HFC / HFO: R448A / R449A / R452A

JASPER

WELL ONLY SELF - SERVICE INTEGRAL CABINET

SQ



Dimensions (mm):

Height : 1029
Length : 1000
Depth : 1195

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

JASPER

WELL ONLY SELF - SERVICE INTEGRAL CABINET



Dimensions (mm):

Height : 938 / 1250
Length : 1000
Depth : 1190

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

HARMONIA

SELF - SERVICE INTEGRAL COUNTER

HELENE



Dimensions (mm):

Height : 1034
Length : 1215
Depth : 1076

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

HARMONIA

SELF - SERVICE INTEGRAL COUNTER

MYRIA



Dimensions (mm):

Height : 1034
Length : 1215
Depth : 1076

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

INTERLAKEN

WELL ONLY SELF - SERVICE INTEGRAL CABINET



Dimensions (mm):

Height : 1009
Length : 1500
Depth : 840

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

AMATIS

FROZEN FULL GLASS DOOR INTEGRAL CABINET

625



Dimensions (mm):

Height : 2090
Length : 625
Depth : 895

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

SHANNON

VERTICAL INTEGRAL CABINETS

& SHANNON HYBRID



Dimensions (mm):

Height : 2063
Length : 1250 / 1875 / 2500 / 3750
Depth : 910

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 • HFC: R407A / R407F / R134a / R404A
HFC / HFO: R448A / R449A / R452A / R450A

YOUR
WORLD
OUR
WORLD



YOUR WORLD OUR WORLD