

BIBURY

NARROW VERTICAL INTEGRAL CABINET

CHILLED





BIBURY

NARROW VERTICAL INTEGRAL CABINET

CHILLED

Ecofriendly and “unique&stylish” design

High visibility & Ergonomy with lower front base and higher interior net height

Perfect alignment with BIBURY FROZEN





Benefits & Specifications:

- Small footprint with compact design
- Easy access and ergonomic design
- Fully configurable to different concepts
- Easily adaptable to changes of product
- Reduces energy consumption with higher evaporation temperature
- Low operating costs
- Practical fittings designed for easy installation and maintenance



Dimensions (mm):


Height : 2059
 Length : 1250 / 1875 / 2500
 Depth : 830

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC / HFO blend


HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A · HFC / HFO: R448A / R449A / R452A / R450A




ACCESSORIES




SOLID SHELF



WIRE SHELF




PLEXI PRODUCT DIVIDER




WIRE SHELF RISER




PLEXI SHELF RISER




WIRE BASE TRAY
WIRE BASE PRODUCT DIVIDER




WIRE PRODUCT DIVIDER




SHELF LIGHTING




HOOK BAR



WIRE BASKET



STAINLESS STEEL BUMPRAIL



PLASTIC BUMPRAIL




CABINET UPSTAND



NIGHT BLIND




MIRROR (FV & MT)




ACRYLIC SYSTEM DIVIDE



PANAROMIC SIDE PANEL




INTERMEDIATE SIDE PANEL



MIRRORED SIDE PANEL




TECHNICAL DATA



BIBURY CHILLED


Length mm | 1250 | 1875 | 2500 |



BIBURY CHILLED with Double Glass Hinged Doors

Length mm | 1250 | 1875 | 2500 |

Doors | 2 | 3 | 4 |



BIBURY CHILLED with Sliding Doors

Length mm | 1250 | 1875 | 2500 |

Doors | 2 | 3 | 4 |



YOUR
WORLD
OUR
WORLD